

# News Release

## Hyundai Motor UK announces New IONIQ pricing and specifications

- Prices for New IONIQ range start from £22,795
- Extensive design changes both inside and out
- IONIQ Electric battery increased to 38.3 kWh, with a target range of 194 miles (WLTP)
- New widescreen 10.25" navigation system with Bluelink® telematics connectivity
- Limited edition IONIQ Hybrid 1<sup>st</sup> Edition with key specification choices over Premium trim
- Available for immediate order
- New IONIQ further strengthens Hyundai's range of eco-friendly vehicles

**High Wycombe, 8<sup>th</sup> August 2019** – Hyundai Motor UK has officially announced the pricing and specification changes for the New IONIQ range, which will be in showrooms from the 5<sup>th</sup> September.

### New IONIQ Hybrid Technical

<b>ENGINE</b>		Hybrid 1.6 GDi 141PS Blue Drive 6 Speed DCT 2WD
Euro Status	EURO 6d Temp	
Type	4 Cylinder DOHC	
Valve	16	
Displacement (cc)	1580	
Bore & Stroke (mm)	72x97	
Compression Ratio	13:1	
Max Power (PS/kW)	105 / 77.2 @ 5700 rpm (PS/kW)	
Torque (Nm/lbs ft)	147 / 108.4 @ 4000 rpm (Nm/lbs ft)	
0-62mph (seconds)	-	
Top Speed (mph)	-	
<b>ELECTRIC MOTOR</b>		
Electric Motor Type	Permanent Magnet Synchronous Motor (PMSM)	
Electric Motor Max Power (PS/kW)	43.5 / 32.0 (PS/kW)	
Electric Motor Torque (Nm/lbs ft)	170 / 125.4 (Nm/lbs ft)	
0-62mph (seconds)	-	
Top Speed (mph)	-	
<b>HIGH VOLTAGE BATTERY</b>		
Battery Type	Lithium-ion Polymer	
Battery Power (kW)	42	
Battery Capacity (kWh/Ah)	1.56	
Voltage	240	
<b>HYBRID SYSTEM</b>		
Max Hybrid System Power Output (PS/kW)	141 / 103.7 @ 5700 rpm (PS/kW)	
Max Hybrid System Torque Output (Nm/lbs ft)	265 / 195.5 @ 4000 rpm (Nm/lbs ft)	
0-62mph (seconds)	10.8	
Top Speed (mph)	115 (185km/h)	
<b>SUSPENSION</b>		
Front	MacPherson Strut	
Rear	Multi-link	
<b>STEERING</b>		
System	Rack and Pinion Motor Driven Power Steering (C-MDPS)	

Steering Wheel Lock to Lock Turns	2.66
Turning Circle (metres)	10.6 (11.1 on 17")
<b>BRAKE</b>	
System	ABS System with Regenerative Brakes
Front	280mm Disc
Rear	262mm Disc
<b>DIMENSIONS</b>	
Overall Length (mm)	4470
Overall Width (mm) (Excluding Door Mirrors)	1820
Overall Width (mm) (Including Door Mirrors)	2045
Wheelbase (mm)	2700
<b>WEIGHT AND CAPACITY</b>	
Kerb Weight (kg)	1361 - 1469
Payload (kg)	401 - 509
Gross Vehicle Weight (kg)	1870
Max Tow Weight (kg) - Braked	750
Max Tow Weight (kg) - Unbraked	0
Gross Train Weight (kg)	2620
Noseweight (kg)	75
Max Roof Weight (kg)	0
Fuel Tank Capacity (litre)	45

	SE Connect	Premium	1st Edition	Premium SE	Premium SE + s/roof	Premium SE + 15" alloys	Premium SE s/roof & 15" alloys
Front Tyre	195/65 R15	195/65 R15	225/45R17	225/45R17	225/45R17	195/65 R15	195/65 R15
Rear Tyre	195/65 R15	195/65 R15	225/45R17	225/45R17	225/45R17	195/65 R15	195/65 R15
Front Wheel	6.0J X 15	6.0J X 15	7.0JX17	7.0JX17	7.0JX17	6.0J X 15	6.0J X 15
Rear Wheel	6.0J X 15	6.0J X 15	7.0JX17	7.0JX17	7.0JX17	6.0J X 15	6.0J X 15
Front Track	1563	1563	1549	1549	1549	1563	1563
Rear Track	1577	1577	1563	1563	1563	1577	1577
Overall Height (mm)	1450	1450	1450	1450	1450	1450	1450
Luggage Capacity VDA (litres) - Seats Up	443	443	443	443	443	443	443
Luggage Capacity VDA (litres) - Seats Down	1505	1505	1505	1505	1505	1505	1505
Urban MPG (l/100km)	TBC*	TBC	78.5 (3.6)	78.5 (3.6)	78.5 (3.6)	TBC	TBC
Extra Urban MPG (l/100km)	TBC	TBC	74.3 (3.8)	74.3 (3.8)	74.3 (3.8)	TBC	TBC
Combined MPG (l/100km)	TBC	TBC	78.5 (3.6)	78.5 (3.6)	78.5 (3.6)	TBC	TBC
CO2 Emissions (g/km)	TBC	TBC	85	85	85	TBC	TBC
WLTP-Low Phase MPG (l/100km)	TBC	TBC	65.7 (4.3)	65.7 (4.3)	65.7 (4.3)	TBC	TBC
WLTP-Mid Phase MPG (l/100km)	TBC	TBC	70.6 (4)	70.6 (4)	70.6 (4)	TBC	TBC
WLTP-High Phase MPG (l/100km)	TBC	TBC	72.4 (3.9)	72.4 (3.9)	72.4 (3.9)	TBC	TBC
WLTP-Extra High Phase MPG (l/100km)	TBC	TBC	52.3 (5.4)	52.3 (5.4)	52.3 (5.4)	TBC	TBC
WLTP-Combined MPG (l/100km)	TBC	TBC	62.8 (4.5)	62.8 (4.5)	62.8 (4.5)	TBC	TBC

\*Awaiting technical data

### New IONIQ Plug-in Hybrid Technical

ENGINE	Plug-in Hybrid 1.6 GDi 141PS Blue Drive 6 Speed DCT 2WD
Euro Status	EURO 6d Temp

Type	4 Cylinder DOHC
Valve	16
Displacement (cc)	1580
Bore & Stroke (mm)	72x97
Compression Ratio	13:1
Max Power (PS/kW)	105 / 77.2 @ 5700 rpm (PS/kW)
Torque (Nm/lbs ft)	147 / 108.4 @ 4000 rpm (Nm/lbs ft)
<b>ELECTRIC MOTOR</b>	
Electric Motor Type	Permanent Magnet Synchronous Motor (PMSM)
Electric Motor Max Power (PS/kW)	60.5 / 44.5 (PS/kW)
Electric Motor Torque (Nm/lbs ft)	170 / 125.4 (Nm/lbs ft)
<b>HIGH VOLTAGE BATTERY</b>	
Battery Type	Lithium-ion Polymer
Battery Power (kW)	59
Battery Capacity (kWh/Ah)	8.9
Voltage	360
<b>CHARGING</b>	
Charging Port	Type 2
Estimated Charging Emergency 3 Pin Connector (ICCB) to (95%)	5 to 6 Hours
Estimated Charging 7kW (100%)	2H15
Estimated Public 50kW CCS (80%)	Not Available
On Board Charger (kW)	3.3 kW
<b>HYBRID SYSTEM</b>	
Max Hybrid System Power Output (PS/kW)	141 / 103.7 @ rpm (PS/kW)
Max Hybrid System Torque Output (Nm/lbs ft)	265 / 195.5 @ rpm (Nm/lbs ft)
0-62mph (seconds)	10.6
Top Speed (mph)	110 (178km/h)
<b>SUSPENSION</b>	
Front	MacPherson Strut
Rear	Multi-link
<b>STEERING</b>	
System	Rack and Pinion Column Motor Driven Power Steering (C-MDPS)
Steering Wheel Lock to Lock Turns	2.66
Turning Circle (metres)	10.6
<b>BRAKE</b>	
System	ABS System with Regenerative Brakes
Front	280mm Disc
Rear	262mm Disc
<b>DIMENSIONS</b>	
Overall Length (mm)	4470
Overall Width (mm) (Excluding Door Mirrors)	1820
Overall Width (mm) (Including Door Mirrors)	2045
Wheelbase (mm)	2700
<b>WEIGHT AND CAPACITY</b>	
Kerb Weight (kg)	1495 - 1551
Payload (kg)	419 - 475
Gross Vehicle Weight (kg)	1970
Max Tow Weight (kg) - Braked	750
Max Tow Weight (kg) - Unbraked	0

Gross Train Weight (kg)	2720		
Noseweight (kg)	75		
Max Roof Weight (kg)	0		
Fuel Tank Capacity (litre)	43		
	Plug-in Hybrid Premium	Plug-in Hybrid Premium SE	Plug-in Hybrid Premium SE with Sunroof
Front Tyre	205/55 R16	205/55 R16	205/55 R16
Rear Tyre	205/55 R16	205/55 R16	205/55 R16
Front Wheel	6.5J X 16 (Alloy)	6.5J X 16 (Alloy)	6.0J X 16 (alloy)
Rear Wheel	6.5J X 16 (Alloy)	6.5J X 16 (Alloy)	6.0J X 16 (alloy)
Front Track	1555	1555	1555
Rear Track	1569	1569	1569
Overall Height (mm)	1450	1450	1450
Luggage Capacity VDA (litres) - Seats Up	341	341	341
Luggage Capacity VDA (litres) - Seats Down	1401	1401	1401
Maximum Potential EV Driving Range (Miles/Km)	39/63	39/63	39/63
WLTP-Weighted Combined MPG (l/100km)	256.8 (1.1)	256.8 (1.1)	256.8 (1.1)
CO2 Emissions (g/km) - Combined	26	26	26

### New IONIQ Electric Technical

<b>ELECTRIC MOTOR</b>		Electric 38.3 kWh Battery 136PS Single speed Reduction Gear
Electric Motor Type	Permanent Magnet Synchronous Motor (PMSM)	
Electric Motor Max Power (PS/kW)	136 / 100.0 (PS/kW)	
Electric Motor Torque (Nm/lbs ft)	395 / 291.3 (Nm/lbs ft)	
0-62mph (seconds)	9.9 (sport mode) 10.2 Normal Mode	
Top Speed (mph / km)	103 / 165	
<b>HIGH VOLTAGE BATTERY</b>		
Battery Type	Lithium-ion Polymer	
Battery Power (kW)	104	
Battery Capacity (kWh/Ah)	38.3	
Voltage	319.4	
<b>CHARGING</b>		
Charging Port	CCS Combo / Type 2	
Estimated Charging Emergency 3 Pin Connector (ICCB) to (95%)	19 Hours	
Estimated Charging 7kW charge point (100%)	6 Hours 5 Minutes	
Estimated Public 50kW CCS (80%)	57 Minutes	
On Board Charger (kW)	7.2	
<b>SUSPENSION</b>		
Front	MacPherson Strut	
Rear	Torsion Beam	
<b>STEERING</b>		
System	Rack and Pinion Motor Driven Power Steering (C-MDPS)	
Steering Wheel Lock to Lock Turns	2.66	
Turning Circle (metres)	10.6	
<b>BRAKE</b>		
System	ABS System with Regenerative Brakes	
Front	280mm Disc	
Rear	284mm Disc	
<b>DIMENSIONS</b>		
Overall Length (mm)	4470	
Overall Width (mm) (Excluding Door Mirrors)	1820	

Overall Width (mm) (Including Door Mirrors)	2045	
Wheelbase (mm)	2700	
<b>WEIGHT AND CAPACITY</b>		
Kerb Weight (kg)	-1527-1575	
Payload (kg)	-395 - 443	
Gross Vehicle Weight (kg)	1970	
Max Tow Weight (kg) - Braked	Not homologated	
Max Tow Weight (kg) - Unbraked	Not homologated	
Gross Train Weight (kg)	Not homologated	
Noseweight (kg)	Not homologated	
Max Roof Weight (kg)	Not homologated	
	<b>Premium</b>	<b>Premium SE</b>
Front Tyre	205/60 R16	205/60 R16
Rear Tyre	205/60 R16	205/60R16
Front Wheel	6.5J X 16 (alloy)	6.5J X 16 (alloy)
Rear Wheel	6.5J X 16 (alloy)	6.5J X 16 (alloy)
Front Track	1552	1552
Rear Track	1564	1564
Overall Height (mm)	1475	1475
Luggage Capacity VDA (litres) - Seats Up	357	357
Luggage Capacity VDA (litres) - Seats Down	1417	1417
CO2 Emissions (g/km)	0	0
Maximum Potential EV Driving Range (Miles/Km)	194 / 311	194 / 311
Electric Driving Efficiency (kWh per 100Km)	<b>13.8</b>	<b>13.8</b>

-Ends-

#### About Hyundai Motor

Established in 1967, Hyundai Motor Company is committed to becoming a lifetime partner in automobiles and beyond. The company leads the Hyundai Motor Group, an innovative business structure capable of circulating resources from molten iron to finished cars. Hyundai Motor has eight manufacturing bases and seven design & technical centres worldwide and in 2017 sold 4.5 million vehicles globally. With more than 110,000 employees worldwide, Hyundai Motor continues to enhance its product line-up with localized models and strives to strengthen its leadership in clean technology.

#### About Hyundai Motor UK

Hyundai has sold vehicles in the UK since 1982. In 2005, Hyundai opened its own UK subsidiary, Hyundai Motor UK Ltd, based in High Wycombe. Since 2008, the company has risen from 23rd to one of the top 10 car manufacturers in the UK and last year sold 90,000 vehicles with a 3.8% market share. Hyundai Motor UK employs more than 3,000 people through its UK operations and dealer network. Hyundai offers consumers a range of technically advanced vehicles from the electrified IONIQ range, the 279 mile range KONA Electric and the hydrogen fuel cell NEXO, as well as award winning vehicles such as the i10 city car, the high performance N range and the trusted and capable SUV ranges of KONA, Tucson and Santa Fe. All passenger cars come with Hyundai's industry-leading 5 Year Unlimited Mileage Warranty package. Further information about Hyundai and its products is available at [www.hyundai.co.uk](http://www.hyundai.co.uk).

Follow us on Twitter @Hyundai\_UK\_PR

For more information, please contact:

#### Natasha Waddington

Head of PR  
01494 428646  
07771 975692  
natasha.waddington@hyundai.co.uk

#### Robin Hayles

Product PR Manager  
01494 428655  
07836 579628  
robin.hayles@hyundai.co.uk

#### Nasrin Munro

PR Executive  
01494 428617  
07736 616612  
nasrin.munro@hyundai.co.uk

#### Laura King

Senior Manager, Brand PR  
01494 428685  
07817 264224  
laura.king@hyundai.co.uk

#### Yasmin Fletcher

Press Officer  
01494 428721  
07860 188073  
yasmin.fletcher@hyundai.co.uk